







The Suex Advanced Diving Vehicles represent the cutting-edge technology of underwater mobility. Permormance, reliability, manoeuvrability, complete product range and the excellent after-market service are the cornerstones that make Suex undisputed leader in the underwater scooter market.

Diving a Suex ADV is an incredible experience, ensures both high level of manoeuvrability in overeahead environments and comfort during extensive cruising. Years of unrivalled experience behind the Suex scooters is woeldwide appreciated as well as the range of exclusive systems and patented devices.



# XJOY 7

























# **Optional**





# **TECHNICAL FEATURES**

Use:	RECREATIONAL		
Code:	70710	Model:	XJOY 7
Length:	mm 790 (inch 31.1)	Width:	mm 790 (inch 31.1)
Height:	mm 338 (inch 13,3)	Body diameter:	mm 200 (inch 7,67)
Weight without battery:	kg 11,5 (lb 25,4)	Weight with battery:	kg 19 (lb 41.8)
Material type:	Tecnopolymers/Polycarbonate	Max static thrust:	N 170 (lb38)
Top speed:	mt/min 55 (ft/min 180)	Run time full trigger:	min 60
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 75
Maximum operational depth:	mt 80 (ft 260)	Buoyancy/ trim:	Neutral/Neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Pb
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 360
Charger power supply:	Volt 110/220 50/60HZ		

# **Dual Speed Control Colors** 70710 Black-Black

70570 Yellow-Black 70571 White-Black

70574 Blue-Black 71063 Grey-Black - LIMITED EDITION

- Top speed is delivered with fully charged battery

- Diver : 70kg weight, 170cm high wet suit single 10lt tank horizontal trim Conditions : sea water no flow/current

# XJ VR

































# **TECHNICAL FEATURES**

Use:	RECREATIONAL		
Code:	71079	Model:	XJ VR
Length:	mm 720 (inch 28.3)	Width:	mm 720 (inch 28.3)
Height:	mm 425 (inch 16.7)	Body diameter:	mm 200 (inch 7.8)
Weight without battery:	kg 11,50 (lb 24.5)	Weight with battery:	kg 16,50 (lb 35.3)
Material type:	Tecnopolymers/Polycarbonate	Max static thrust:	N 200 (lb44.96)
Top speed:	mt/min 65 (ft/min 213)	Run time full trigger:	min 100
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 150
Maximum operational depth:	mt 101 (ft 331)	Buoyancy/ trim:	Tecnopolymers/Polycarbonate
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Lithium /Nimh
Nominal Voltage:	Volt 25,2	Nominal Capacity:	Wh 512/324
Charger power supply:	Volt 110/220 50/60HZ		

## **Dual Speed Control** Fiber Carbon Proplock propeller

- Top speed is delivered with fully charged battery Diver : 70kg weight, 170cm high wet suit single 10lt tank horizontal trim Conditions : sea water no flow/current

# XJ14



































# **TECHNICAL FEATURES**

Use:	RECREATIONAL TECH / COMMERCIAL		
Code:	70969	Model:	XJ14
Length:	mm 790 (inch 31,1)	Width:	mm 790 (inch 31,1)
Height:	mm 340 (inch 13,4)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 14 (lb 30,9)	Weight with battery:	kg 20 (lb 44,1)
Material type:	Aluminum body	Max static thrust:	N 220 (lb49,5)
Top speed:	mt/min 70 (ft/min 230)	Run time full trigger:	min 60
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 120
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	Nimh	Nominal Voltage:	Volt 26,4
Nominal Capacity:	Wh 370	Charger power supply:	Volt 90/240 - 50/60 Hz

DRIVe System Ready - Needs Li-Ion Battery



- Top speed is delivered with fully charged battery Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

# XJ37



































# **TECHNICAL FEATURES**

Use:	TECH / COMMERCIAL LONG RANGE / CAVE		
Code:	70970	Model:	XJ37
Length:	mm 790 (inch 31,1)	Width:	mm 790 (inch 31,1)
Height:	mm 340 (inch 13,4)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 14 (lb 30,9)	Weight with battery:	kg 20 (lb 44,1)
Material type:	Aluminum body	Max static thrust:	N 330 (lb74,2)
Top speed:	mt/min 85 (ft/min 278)	Run time full trigger:	min 85
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 180
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	LI-ion	Nominal Voltage:	Volt 25,2
Nominal Capacity:	Wh 940	Charger power supply:	Volt 90/240 - 50/60 Hz



- Top speed is delivered with fully charged battery
- Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

# XK1 - BLACK



































# **TECHNICAL FEATURES**

Use:	TECH / COMMERCIAL LONG RANGE / CAVE		
Code:	70971	Model:	XK1 - Black
Length:	mm 975 (inch 38,4)	Width:	mm 975 (inch 38,4)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 17 (lb 37,48)	Weight with battery:	kg 25 (lb 55,12)
Material type:	Body in Nautical Aluminum	Max static thrust:	N 370 (lb83,2)
Top speed:	mt/min 100 (ft/min 328)	Run time full trigger:	min 100
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 330
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	LI-ion	Nominal Voltage:	Volt 36
Nominal Capacity:	Wh 1340	Charger power supply:	Volt 90/240 - 50/60 Hz



- Top speed is delivered with fully charged battery
- Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

#### **ACCESSORIES**



#### Cod. 70606 XK - XJ - XJOY LINE CRADLE

Support for transport, fits XK and XJOY line. Marine Materials, velcro strap.

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



#### Cod. 70163 DPV BACKUP HARNESS

Heavy Duty Harness system for easy carrying of SUEX DPV's in critical environment or for long term trekking. - reinforced back protection - soft back pads - adjustable shoulder webbings incl. soft pads (2) - adjustable chest strap - adjustable hip webbing with soft pads -

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



#### Cod. 70753 LIGHT TRANSPORT CASE

Light transport case for scooter: Fits XJOY2 XJOY7 XJOY14 and XJOY37 DIMENSIONS AND WEIGHT : CM 93X44X52 KG 9,500

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 |



# Cod. 70221 TOW HARNESS ALL MODELS

All Models

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



# Cod. 70336 EXPLORER TOW HARNESS

EXPLORER TOW HARNESS design based on the explorers suggestions. It is the ideal accessory for the long distances thanks to its optimal distribution of the traction allowing an easy control of the DPV.

Compatible with models: XJ VR | XJ14 | XJ37 | XK1 - Black |



## Cod. 70542 VIDEO CAMERA SUPPORT

Full Camera/Video Housing mounting Kit. Includes : - Universal Support cod. 70228 - Swivel Support cod. 70230 - Standard Insert cod. 70651 - Floats cod. 70543 WATCH THE VIDEO

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



## Cod. 70649 INSERT FOR SWIVEL MOUNT 70230 80X9MM

Insert for Swivel Support 70230 with larger diameter (80mm)

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



## Cod. 70449 INTRUMENT SUPPORT FLAT FOR HANDLES 70208-70209-70309

Instrument support for handles

Compatible with models: XJ VR | XJ14 | XJ37 | XK1 - Black |



## Cod. 70821 NBS BALANCED INSTRUMENT SUPPORT

Balanced instrument support. This support with the mounted instruments can be perfectly balanced in the water without modifying the scooter's buoyancy.

Compatible with models: XJ VR | XJ14 | XJ37 | XK1 - Black |



## Cod. 70869 POWER GRIP HANDLE XJOY7

- Wider hand-support compared to the standard Handle allows even more comfortable grip enhancing the already excellent ADV's drive - The special rubber grip guarantees the perfect grip in any driving situation. - T-fix insert for fixing accessories

Compatible with models: XJOY 7 |



## Cod. 70536 COLD WATER FRONT HANDLE

Body handle resistant at low temperature and unbreakable. The wider space between the body and the handle allows a better handling even with thick gloves.

Compatible with models: XJOY 7 | XJ VR | XK1 - Black |



Cod. 70042 CARRY HANDLE FOR XJ - XK LINE

Compatible with models: XJ14 | XJ37 | XK1 - Black |



Cod. 70645 T- FIX INSERT FOR HANDLES

Accessory insert For handles

Compatible with models: XJ VR | XJ14 | XJ37 | XK1 - Black |



Cod. 70547 TOW LEASH KIT ALL MODELS

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



Cod. 70954 Cleaning and Lubrication Kit

The Kit contains: Vaseline grease Microfiber cloth Suex sticker

Compatible with models: XJOY 7 | XJ VR | XJ14 | XJ37 | XK1 - Black |



Cod. 71096 LITHIUM BATTERY PACK FOR XJ VR

Lithium battery pack for XJVR : 512 Wh

Compatible with models: XJ VR |



Cod. 71101 LITHIUM CHARGER FOR XJ VR

STANDARD 3A CHARGER FOR XJ VR LITHIUM BATTERY CHARGING TIME 7H

Compatible with models: XJ VR |



## Cod. 71102 FAST CHARGER LITHIUM FOR XJ VR

FAST CHARGERT 7A FOR LITHIUM BATTERY XJ VR. CHARGING TIME 3HOURS.BEST CHOICE FOR RENTAL USE

Compatible with models: XJ VR |



## Cod. 71084 NIMH CONVERSION KIT FOR XJ VR

NIMH 324WH BATTERY CONVERSION KIT FOR XJ VR TRAVEL BATTERY ALLOWED FOR TRANSPORT IN PASSENGER CRAFT. INCLUDES BATTERY AND CHARGER

Compatible with models: XJ VR |



## Cod. 70220 BATTERY PACK XJOY7 24V 15AH SLA

Compatible with models: XJOY 7 |



Cod. 70219 Charger XJOY 7

Compatible with models: XJOY 7 |



## Cod. 70737 CONVERSION KIT LI-ION XJ14-XJ37

Includes Li-ion Battery Pack for XJOY37 with DRIVe System, Charger, spacer, sea water ballast Battery Pack Nominal Voltage 25,2V Battery Pack Nominal Capacity 940Wh

Compatible with models: XJ14 |



# Cod. 70323 BATTERY PACK XJ14 26.4V 14AH NIMH

Nimh battery pack 26.4V 14Ah is assembled with built-in cut-off. Cables and connectors included. Use proper charger only 70088 CB Nimh

Compatible with models: XJ14 |



## Cod. 70088 CHARGER XJ14

Computerized battery charger for Nimh batteries 14Ah and 16 Ah. 110/220Volts 50/60Hz Fits als HDVT16 and Zeuxo 16

Compatible with models: XJ14 |



## Cod. 71058 CONVERSION KIT NIMH 37

NiMH conversion Kit for XJ37 The Kit includes the NIMH battery pack (360Wh) and charger. With the Nimh you can transport the XJ37 on a passenger craf as a NON DANGEROUS ITEM

Compatible with models: XJ37 |



## Cod. 71002 BATTERY PACK XJ37 25.2V 37AH -LIION 940WH

Li-ion Battery Pack for XJ37 with DRIVe System Nominal Voltage 25,2V Nominal Capacity 940Wh

Compatible with models: XJ37 |



## Cod. 70952 CB LI-ION XJ37

Charger for XJ37

Compatible with models: XJ37 |



## Cod. 71003 BATTERY PACK XK1 36V 37AH LIION 1340WH

PANASONIC Li-ion Battery pack for XK1 with DRIVe System

Compatible with models: XK1 - Black |



# Cod. 70953 LI-ION CHARGER FOR XK

Charger for LI-ION Battery XK1 and XK2:

Compatible with models: XK1 - Black |

# Pricing:

Pricing does not include taxes (VAT) or shipping and packaging Pricing is valid for the EU countries. For other countries please contact directly our Dealers or Distributors.

\*\*Please note that all pricing is in Euros\*\* You must convert the Euro pricing we provide to your local or federal currency.



**DRIVe** Suex DRIVe System ™



Fastening device Suex Patented Latchless Fastening Device



Main Switch Main Switch



Proplock Propeller Proplock Propeller



Speed Adjustment Speed Adjustment



**Battery Gauge** Battery Gauge



By-pass System By-pass System



Easy Trim **EASY TRIM** 



**Easy Inspect** Esy to Inspect



**New Handle Design** New Handle Design



**Battery and Charger Design and** Quality





**Sealed Motor Compartment** Sealed Motor Compartment



NBS - Neutral Buoyancy System Neutral Buoyancy System.



Made Salt Resistant



Made Salt Resistant



**Motor Protection** Motor Protection



**Battery Protection** Batttery Protection System



Certifications













The Suex Advanced
Diving Vehicles,
the cutting-edge
technology of
underwater mobility.



Suex srl - Via Roma, 261/35

31020 Villorba (TV)

Tel.: +39 0422 444 849 Fax: +39 0422 620 604

Email: info@suex.it

www.suex.it